

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssseptal808cxt

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\*\*\*\*\* Welcome to STN International \*\*\*\*\*

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 02	STN pricing information for 2008 now available
NEWS	3	JAN 16	CAS patent coverage enhanced to include exemplified prophetic substances
NEWS	4	JAN 28	USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS	5	JAN 28	MARPAT searching enhanced
NEWS	6	JAN 28	USGENE now provides USPTO sequence data within 3 days of publication
NEWS	7	JAN 28	TOXCENTER enhanced with reloaded MEDLINE segment
NEWS	8	JAN 28	MEDLINE and LMEEDLINE reloaded with enhancements
NEWS	9	FEB 08	STN Express, Version 8.3, now available
NEWS	10	FEB 20	PCI now available as a replacement to DPICI
NEWS	11	FEB 25	IFIREF reloaded with enhancements
NEWS	12	FEB 25	IMSPRODUCT reloaded with enhancements
NEWS	13	FEB 29	WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS	14	MAR 31	IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS	15	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	16	MAR 31	CA/CAPLUS and CASREACT patent number format for U.S. applications updated
NEWS	17	MAR 31	LPICI now available as a replacement to LDPCI
NEWS	18	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	19	APR 04	STN AnaVist, Version 1, to be discontinued
NEWS	20	APR 15	WPIDS, WPINDEX, and WPIX enhanced with new predefined hit display formats
NEWS	21	APR 28	EMBASE Controlled Term thesaurus enhanced
NEWS	22	APR 28	IMSRSEARCH reloaded with enhancements
NEWS EXPRESS	FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008		
NEWS HOURS	STN Operating Hours Plus Help Desk Availability		
NEWS LOGIN	Welcome Banner and News Items		
NEWS IPC8	For general information regarding STN implementation of IPC 8		

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may

result in loss of user privileges and other penalties.

\*\*\*\*\* STN Columbus \*\*\*\*\*

FILE 'HOME' ENTERED AT 11:13:21 ON 28 APR 2008

=> index bioscience

FILE 'DRUGMONOG' ACCESS NOT AUTHORIZED

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.21	0.21

FULL ESTIMATED COST

INDEX 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, ANTE, AQUALINE, AQUASCI, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CAPLUS, CEABA-VTB, CIN, CONFSCI, CROPB, CROPU, DDFB, DDFU, DGENE, DISSABS, DRUGB, DRUGMONOG2, DRUGU, EMBAL, EMBASE, ...' ENTERED AT 11:13:40 ON 28 APR 2008

69 FILES IN THE FILE LIST IN STINDEX

Enter SET DETAIL ON to see search term postings or to view  
search error messages that display as 0\* with SET DETAIL OFF.

=> s (catechin or epicatechin or epigallocatechin or gallocatechin or egcg or egc or ecg) and ligustilide

1 FILE ANABSTR  
4 FILE CAPLUS  
1 FILE DDFU  
1 FILE DRUGU  
27 FILES SEARCHED...  
1 FILE EMBASE  
5 FILE FROSTI  
1 FILE IFIPAT  
10 FILE USPATFULL  
2 FILE USPAT2  
4 FILE WPIDS  
67 FILES SEARCHED...  
1 FILE WPIFV  
4 FILE WPINDEX

12 FILES HAVE ONE OR MORE ANSWERS, 69 FILES SEARCHED IN STINDEX

L1 QUE (CATECHIN OR EPICATECHIN OR EPIGALLOCATECHIN OR GALLOCATECHIN OR EGCG OR EGC OR ECG) AND LIGUSTILIDE

=> d rank

F1	10	USPATFULL
F2	5	FROSTI
F3	4	CAPLUS
F4	4	WPIDS
F5	4	WPINDEX
F6	2	USPAT2
F7	1	ANABSTR
F8	1	DDFU
F9	1	DRUGU
F10	1	EMBASE
F11	1	IFIPAT
F12	1	WPIFV

=> file f2-3 f7-10

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
------------	-------

FULL ESTIMATED COST	ENTRY	SESSION
	1.95	2.16

FILE 'FROSTI' ENTERED AT 11:15:12 ON 28 APR 2008  
 COPYRIGHT (C) 2008 Leatherhead Food Research Association

FILE 'CAPLUS' ENTERED AT 11:15:12 ON 28 APR 2008  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'ANABSTR' ENTERED AT 11:15:12 ON 28 APR 2008  
 COPYRIGHT (c) 2008 THE ROYAL SOCIETY OF CHEMISTRY (RSC)

FILE 'DDFU' ACCESS NOT AUTHORIZED

FILE 'DRUGU' ENTERED AT 11:15:12 ON 28 APR 2008  
 COPYRIGHT (C) 2008 THE THOMSON CORPORATION

FILE 'EMBASE' ENTERED AT 11:15:12 ON 28 APR 2008  
 Copyright (c) 2008 Elsevier B.V. All rights reserved.

```
=> s l1
L2          12 L1

=> dup rem l2
PROCESSING COMPLETED FOR L2
L3          12 DUP REM L2 (0 DUPLICATES REMOVED)
```

```
=> d bib abs 1-12
```

```
L3  ANSWER 1 OF 12  CAPLUS  COPYRIGHT 2008 ACS on STN
AN  2008:71748  CAPLUS
DN  148:152064
TI  Compositions comprising magnolol or honokiol and other active agents for
    the treatment of inflammatory diseases
IN  Raederstorff, Daniel; Schwager, Joseph; Wertz, Karin
PA  Dsm Ip Assets B.V., Neth.
SO  PCT Int. Appl., 68pp.
    CODEN: PIXXD2
DT  Patent
LA  English
FAN.CNT 1
```

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2008006582	A1	20080117	WO 2007-EP6189	20070712
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
	RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRAI EP 2006-14644 A 20060714

AB The present invention relates to novel compns. comprising magnolol and/ or honokiol and at least one addnl. component e.g. selected from

ligustilide, oleuropein, oleuropein aglycon, hydroxytyrosol, roship, genistein, resveratrol, EGCG, cashew fruit extract and Glycyrrhiza foetida as well as to the use of these compns. as a medicament, in particular as a medicament for the treatment, co-treatment or prevention of inflammatory disorders. Thus, tablet was prepared comprising magnolol and/or honokiol 50 mg, ligustilide 50 mg, and as excipients microcryst. cellulose, silicone dioxide, magnesium stearate, crospovidone NF ad 500 mg.

RE.CNT 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2008:70830 CAPLUS

DN 148:175728

TI Novel pharmaceutical compositions comprising hydroxytyrosol and/ or oleuropein

IN Raederstorff, Daniel; Richard, Nathalie; Schwager, Joseph; Wertz, Karine  
PA DSM IP Assets B.V., Neth.

SO PCT Int. Appl., 54pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2008006581	A2	20080117	WO 2007-EP6188	20070712
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				

FRAI EP 2006-14645 A 20060714

AB Novel compns. comprise hydroxytyrosol and/ or oleuropein and at least one addnl. component, e.g. selected from the group of ligustilide, oleuropein aglycon, magnolol, honokiol, genistein, resveratrol, EGCG, magnolia bark extract, cashew fruit extract and Glycyrrhiza foetida as well as to the use of these compns. as a medicament, in particular as a medicament for the treatment, co-treatment or prevention of inflammatory disorders. Soft gelatin capsules contained hydroxytyrosol 10, oleuropein 200, genistein 50 mg, glycerol, water, gelatin, and vegetable oil q.s. 100%.

L3 ANSWER 3 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2006:795639 CAPLUS

DN 145:195780

TI Compositions comprising epigallocatechin gallate and protein hydrolysate

IN Wolfram, Swen

PA Dsm Ip Assets B.V., Neth.

SO PCT Int. Appl., 38pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2006082222	A1	20060810	WO 2006-EP50623	20060202
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, VZ, VC, VN, YU, ZA, ZM, ZW				
	RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	EP 1843778	A1	20071017	EP 2006-707984	20060202
	R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR				
PRAI	EP 2005-100755	A	20050203		
	WO 2006-EP50623	W	20060202		

AB The present invention describes a composition comprising EGCG and a protein hydrolyzate.

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 4 OF 12 CAPLUS COPYRIGHT 2008 ACS ON STN

AN 2005:283266 CAPLUS

DN 142:309913

TI Compositions for the treatment and prevention of diabetes mellitus

IN Raederstorff, Daniel; Teixeira, Sandra Renata; Wang, Ying; Weber, Peter; Wolfram, Sven

PA DSM IP Assets B.V., Neth.

SO PCT Int. Appl., 21 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005027661	A1	20050331	WO 2004-EP10283	20040915
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, VZ, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	EP 1662906	A1	20060607	EP 2004-765197	20040915
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
	CN 1856303	A	20061101	CN 2004-80027524	20040915
	JP 2007505854	T	20070315	JP 2006-526578	20040915
	IN 2006CN00987	A	20070817	IN 2006-CN987	20060322
	US 20070042057	A1	20070222	US 2006-573222	20060323
PRAI	EP 2003-21447	A	20030923		
	WO 2004-EP10283	W	20040915		

AB Compns. comprising a catechin as found in green tea, e.g.,

epigallocatechin gallate, and ligand which activates the peroxisome proliferator-activated receptor gamma (PPAR-gamma are useful for the treatment and prevention of diabetes mellitus).

RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 5 OF 12 ANABSTR COPYRIGHT 2008 RSC on STN

AN 62(39):G227 ANABSTR

TI Online identification of phytochemical constituents in botanical extracts by combined high-performance liquid-chromatographic - diode-array detection - mass-spectrometric techniques.

AU He, X. G. (Res. Lab. Natural Prod. Chem., A. M. Todd Botanicals, Eugene, OR 97402, USA)

SO J. Chromatogr., A (2000) 880(1-2), 203-232

CODEN: JCRAEY ISSN: 0021-9673

DT Journal

LA English

AB It is necessary to determine all of the phytochemical constituents of botanical extracts in order to ensure the reliability and repeatability of pharmacological and clinical research, to understand their bioactivities and possible side effects of active compounds and to enhance product quality control. HPLC chromatographic fingerprints can be applied for this kind of documentation. Combined HPLC - diode-array detection-MS techniques can provide online UV and MS information for each peak in a chromatogram. In most cases, direct identification of the peaks is possible, based on comparison with published data or with standard compounds. This review will primarily focus on electrospray and thermospray ionization MS and their applications for the quantitative analysis of phenolic compounds, saponins, alkaloids, and other classes of natural products in botanical extracts. Twenty-one of the most commonly used herbal examples, their phytochemical analyses and characteristics of their mass spectra are described. (74 references).

L3 ANSWER 6 OF 12 EMBASE COPYRIGHT (c) 2008 Elsevier B.V. All rights reserved on STN

AN 1999083227 EMBASE

TI Progress and application of chemical evaluation of crude drugs.

AU Nishizawa, Makoto

CS Kyosei Pharmaceutical Co. LTD., 3-1-1, Megumino-kita, Eniwa, 061-1374, Japan.

AU Anetai, Masaki

CS Hokkaido Institute of Public Health, N-19, W-12, Kita-ku, Sapporo, 060-0819, Japan.

AU Yamagishi, Takashi (correspondence)

CS Kitami Institute of Technology, 165 Koen-cho, Kitami 090-0015, Japan.

SO Journal of Food and Drug Analysis, (Dec 1998) Vol. 6, No. 4, pp. 637-677. Refs: 158

ISSN: 1021-9498 CODEN: YSFEEP

CY Taiwan, Province of China

DT Journal; General Review; (Review)

FS 030 Clinical and Experimental Pharmacology

037 Drug Literature Index

039 Pharmacy

LA English

SL English; Chinese

ED Entered STN: 19 Mar 1999

Last Updated on STN: 19 Mar 1999

AB Progress in chemical evaluation of six crude drugs, Paeoniae Radix, Rhei Rhizoma, Astragali Radix, Cnidii Rhizoma, Angelicae Radix and Gardeniae Fructus, is briefly summarized. Information on preparation methods, storage conditions, origin and the production areas of the crude drugs,

were obtained by various chemical evaluation techniques. Moreover, these methods were also useful in establishing cultivation techniques and breeding new strains of medicinal plants.

L3 ANSWER 7 OF 12 DRUGU COPYRIGHT 2008 THE THOMSON CORP on STN  
AN 1990-07500 DRUGU A  
TI HPLC of Biopolymers, Pharmaceuticals, and Natural Products.  
AU Weile Y; Yu W L; Ping L; Renbin Z; Chang J P  
LO Shanghai, Gansu, China  
SO J.Chromatogr.Sci. (27, No. 11, 625-52, 1989) 23 Fig. 11 Tab. 225 Ref.  
CODEN: JCHSBZ ISSN: 0021-9665  
AV Lanzhou Institute of Chemical Physics, Academia Sinica, Lanzhou, Gansu, China.  
LA English  
DT Journal  
FA AB; LA; CT; MPC  
FS Literature  
AN 1990-07500 DRUGU A  
AB An extensive review of the HPLC of biopolymers, pharmaceuticals and natural products is presented.  
ABEX HPLC data are tabulated for the following: ascorbate, pyridoxine, thiamine, riboflavin, nicotinate, nicotinamide, schisanthrins A, B, and C, maytansine, noradrenaline, adrenaline, dopamine, ampicillin, argiprestocin, dauricine, aztreonam, bronopol, estradiol, daunorubicin, netilmicin, sisomicin, rifampicin, theophylline, trimethoprim, amiodarone, aminopterin, methotrexate, 7-hydroxymethotrexate, tocopherol, retinol, retinol acetate, metoprolol, indometacin, penicillin, verapamil, phenobarbital, phenytoin, furosemide, ranitidine, butylamine, mifepristone, ethinylestradiol, norethisterone, sulbactam, diethylstilbestrol, nitroglycerol, chloromycin, tetracycline, aureomycin, gentamycin, midecamycin, benserazide, mexiletine, kanamycin, tamoxifen, nitrodiazepam, chlorthalidone, diazepam, chlorazepate, quinidine, metronidazole, fluocinolone, 9-alpha-fluocortisone, calciferol, menadione, artesunate, dihydroartemisinin, mesaconitine, aconitine, hyaconitine, homoharringtonine, cephalotaxine, shikonin, magnolol, honokiol, sophocarpine, matrine, cinchonidine, peruvoside, neriifolin, gerberin, vincamine, gallate, kadsurenone, theobromine, caffeine, epigallocatechin, cyanidanol, epicatechin, epicatechin gallate, epigallocatechin gallate, ligustilide, aflatoxin-B1, gossypol, imperatorin, strychnine, dauricine, yunaconitine, tiogenin, hecogenin, PGA, quercetin, myatanbutine, cryptonshinone, cucurbitacin-B, stevioside, digallate, geniposide, aflatoxins B2, G1 and G2, abscisate, diosgenin, smilagenin, sarsasapogenin, yamogenin, tiogenin, neotigogenin, bethagenin, pennogenin, hecogenin, gentrogenin, pseudosmilagenin, pseudosapogenin, gitogenin, rockogenin, pseudodiosgenin and pseudokryptogenin. (CD)

L3 ANSWER 8 OF 12 FROSTI COPYRIGHT 2008 LFRA on STN  
AN 735036 FROSTI  
TI Compositions comprising epigallocatechin gallate and protein hydrolysate.  
IN Wolfram S.  
PA DSM IP Assets BV  
SO European Patent Application  
PI EP 1843778 A1  
WO 2006082222 20060810  
AI 20060202  
PRAI European Patent Office 20050203  
DT Patent  
LA English  
SL English

AB Epigallocatechin gallate (EGCG) is the major catechin found in green tea, which has been shown to prevent an increase in glucose and insulin levels in plasma after a carbohydrate-rich meal; protein hydrolysates have been observed to increase the rate of uptake of circulating blood glucose into tissues (such as adipose tissue and skeletal muscle), resulting in a faster reduction of blood glucose levels. This application describes a composition comprising EGCG and a protein hydrolysate (peptides or polypeptides). The composition may also contain other antioxidant compounds, such as ligustilide, coenzyme Q10, resveratrol, pantethine, phytanic acid, lipoic acid and/or policosanol. The composition is suitable for use in nutraceutical products for the prevention or treatment of diabetes.

L3 ANSWER 9 OF 12 FROSTI COPYRIGHT 2008 LFRA on STN  
AN 742447 FROSTI  
TI Compositions comprising magnolol or honokiol and other active agents for the treatment of inflammatory diseases.  
IN Raederstorff D.; Schwager J.; Wertz K.  
PA DSM IP Assets BV  
SO PCT Patent Application  
PI WO 2008006582 A2  
AI 20070712  
PRAI European Patent Office 20060714  
DT Patent  
LA English  
SL English  
AB This application is similar to WO 2008/006581, which describes a novel and natural composition for preventing or treating acute or chronic inflammatory disorders, such as heart diseases, osteoporosis, multiple sclerosis, osteoarthritis and rheumatoid arthritis, in humans and animals. The invention, which is free of side effects, is claimed to promote joint health and mobility. It consists of oleuropein and/or hydroxytyrosol and at least one component selected from oleuropein aglycone, magnolol, genistein, honokiol, ligustilide, magnolia bark extract, resveratrol, epigallocatechin gallate, cashew fruit extract and/or Glycyrrhiza foetida. The composition is suitable for incorporation into dietary or nutritional supplements, feed products and foodstuffs, such as cheese food, baked goods, confections, candies, snack products, frozen meals, soups, sauces, spreads, salad dressing and mayonnaise. Other applications include fat or oil-containing foods, prepared meat products, alcoholic and non-alcoholic drinks, and dairy drinks. Methods of preparing and using the composition are also presented.

L3 ANSWER 10 OF 12 FROSTI COPYRIGHT 2008 LFRA on STN  
AN 742446 FROSTI  
TI Novel compositions.  
IN Raederstorff D.; Schwager J.; Wertz K.  
PA DSM IP Assets BV  
SO PCT Patent Application  
PI WO 2008006589 A2  
AI 20070712  
PRAI European Patent Office 20060714  
DT Patent  
LA English  
SL English  
AB This application is similar to WO 2008/006581, which describes a novel and natural composition for preventing or treating acute or chronic inflammatory disorders, such as heart diseases, osteoporosis, multiple sclerosis, osteoarthritis and rheumatoid arthritis, in humans and



animals. The invention, which is free of side effects, is claimed to promote joint health and mobility. It consists of oleuropein and/or hydroxytyrosol and at least one component selected from oleuropein aglycone, magnolol, genistein, honokiol, ligustilide, magnolia bark extract, resveratrol, epigallocatechin gallate, cashew fruit extract and/or Glycyrrhiza foetida. The composition is suitable for incorporation into dietary or nutritional supplements, feed products and foodstuffs, such as cheese food, baked goods, confections, candies, snack products, frozen meals, soups, sauces, spreads, salad dressing and mayonnaise. Other applications include fat or oil-containing foods, prepared meat products, alcoholic and non-alcoholic drinks, and dairy drinks. Methods of preparing and using the composition are also presented.

L3 ANSWER 11 OF 12 FROSTI COPYRIGHT 2008 LFRA on STN  
 AN 741717 FROSTI  
 TI Novel compositions.  
 IN Raederstorff D.; Richard N.; Schwager J.; Wertz K.  
 PA DSM IP Assets BV  
 SO PCT Patent Application  
 PI WO 2008006581 A2  
 AI 20070712  
 PRAI European Patent Office 20060714  
 DT Patent  
 LA English  
 SL English  
 AB A novel and natural composition for preventing or treating acute or chronic inflammatory disorders, such as heart diseases, osteoporosis, multiple sclerosis, osteoarthritis and rheumatoid arthritis, in humans and animals is disclosed. The invention, which is free of side effects, is claimed to promote joint health and mobility. It consists of oleuropein and/or hydroxytyrosol and at least one component selected from oleuropein aglycone, magnolol, genistein, honokiol, ligustilide, magnolia bark extract, resveratrol, epigallocatechin gallate, cashew fruit extract and/or Glycyrrhiza foetida. The composition is suitable for incorporation into dietary or nutritional supplements, feed products and foodstuffs, such as cheese food, baked goods, confections, candies, snack products, frozen meals, soups, sauces, spreads, salad dressing and mayonnaise. Other applications include fat or oil-containing foods, prepared meat products, alcoholic and non-alcoholic drinks, and dairy drinks. Methods of preparing and using the composition are also presented.

L3 ANSWER 12 OF 12 FROSTI COPYRIGHT 2008 LFRA on STN  
 AN 734677 FROSTI  
 TI Compositions comprising epigallocatechin gallate and protein hydrolysate.  
 IN Wolfram S.  
 PA DSM IP Assets BV  
 SO PCT Patent Application  
 PI WO 2006082222 A1  
 AI 20060202  
 PRAI European Patent Office 20050203  
 DT Patent  
 LA English  
 SL English  
 AB Epigallocatechin gallate (EGCG) is the major catechin found in green tea, which has been shown to prevent an increase in glucose and insulin levels in plasma after a carbohydrate-rich meal; protein hydrolysates have been observed to increase the rate of uptake of circulating blood glucose into tissues

(such as adipose tissue and skeletal muscle), resulting in a faster reduction of blood glucose levels. This application describes a composition comprising EGCG and a protein hydrolysate (peptides or polypeptides). The composition may also contain other antioxidant compounds, such as ligustilide, coenzyme Q10, resveratrol, pantethine, phytanic acid, lipoic acid and/or policosanol. The composition is suitable for use in nutraceutical products for the prevention or treatment of diabetes.

=> file stnguide

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

55.89

58.05

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-3.20

-3.20

FILE 'STNGUIDE' ENTERED AT 11:15:36 ON 28 APR 2008

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Apr 25, 2008 (20080425/UP).

=> file stnguide

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.42

58.47

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-3.20

FILE 'STNGUIDE' ENTERED AT 11:19:33 ON 28 APR 2008

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Apr 25, 2008 (20080425/UP).